


# A highly light-absorbent and tunable material

11 August 2020



Schematic illustration of the electron-hole pairs (electron: pink, hole: blue), which are formed by absorption of light in the two-layer molybdenum disulfide layer. Credit: Nadine Leisgang and Lorenzo Ceccarelli, Department of Physics, University of Basel

By layering different two-dimensional materials, physicists at the University of Basel have created a novel structure with the ability to absorb almost all light of a selected wavelength. The achievement relies on a double layer of molybdenum disulfide. The new structure's particular properties make it a candidate for applications in optical components or as a source of individual photons, which play a key role in quantum research. The results were published in the scientific journal *Nature Nanotechnology*.

Novel two-dimensional materials are currently a hot research topic around the world. Of special interest are van der Waals heterostructures, which are made up of individual layers of different materials held together by van der Waals forces. The interactions between the different layers can give the resulting material entirely new properties.

## Double layer unlocks crucial properties

There are already van der Waals heterostructures that absorb up to 100 percent of light. Single-layers

of molybdenum disulfide offer absorption capacities in this range. When light is absorbed, an electron vacates its original position in the [valence band](#), leaving behind a positively charged hole. The electron moves to a higher energy level, known as the conduction band, where it can move freely.

The resulting hole and the electron are attracted to each other in accordance with Coulomb's law, giving rise to bound electron-hole pairs that remain stable at room temperature. However, with [single-layer](#) molybdenum disulfide there is no way to control which light wavelengths are absorbed. "It is only when a second layer of molybdenum disulfide is added that we get tunability, an essential property for application purposes," explains Professor Richard Warburton of the University of Basel's Department of Physics and Swiss Nanoscience Institute.

## Absorption and tunability

Working in close collaboration with researchers in France, Warburton and his team have succeeded in creating such a structure. The physicists used a double layer of molybdenum disulfide sandwiched between an insulator and the electrical conductor graphene on each side.

"If we apply a voltage to the outer graphene layers, this generates an electric field that affects the absorption properties of the two [molybdenum](#) disulfide layers," explains Nadine Leisgang, a doctoral student in Warburton's team and lead author of the study. "By adjusting the voltage applied, we can select the wavelengths at which the [electron-hole pairs](#) are formed in these layers."

Richard Warburton adds, "This research could pave the way for a new approach to developing optoelectronic devices such as modulators." Modulators are used to selectively change a signal's amplitude. Another potential application is generating individual photons, with important

implications for quantum technology.

**More information:** Nadine Leisgang et al. Giant Stark splitting of an exciton in bilayer MoS<sub>2</sub>, *Nature Nanotechnology* (2020). [DOI: 10.1038/s41565-020-0750-1](https://doi.org/10.1038/s41565-020-0750-1)

Provided by University of Basel

APA citation: A highly light-absorbent and tunable material (2020, August 11) retrieved 24 August 2020 from <https://phys.org/news/2020-08-highly-light-absorbent-tunable-material.html>

*This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.*