

## Stretching changes the electronic properties of graphene

*Date:* June 29, 2021

*Source:* Swiss Nanoscience Institute, University of Basel

*Summary:* The electronic properties of graphene can be specifically modified by stretching the material evenly, say researchers. These results open the door to the development of new types of electronic components.

### FULL STORY

---

The electronic properties of graphene can be specifically modified by stretching the material evenly, say researchers at the University of Basel. These results open the door to the development of new types of electronic components.

Graphene consists of a single layer of carbon atoms arranged in a hexagonal lattice. The material is very flexible and has excellent electronic properties, making it attractive for numerous applications -- electronic components in particular.

Researchers led by Professor Christian Schönenberger at the Swiss Nanoscience Institute and the Department of Physics at the University of Basel have now studied how the material's electronic properties can be manipulated by mechanical stretching. In order to do this, they developed a kind of rack by which they stretch the atomically thin graphene layer in a controlled manner, while measuring its electronic properties.

### Sandwiches on the rack

The scientists first prepared a "sandwich" comprising a layer of graphene between two layers of boron nitride. This stack of layers, furnished with electrical contacts, was placed on a flexible substrate.

The researchers then applied a force to the center of the sandwich from below using a wedge. "This enabled us to bend the stack in a controlled way, and to elongate the entire graphene layer," explained lead author Dr. Lujun Wang.

"Stretching the graphene allowed us to specifically change the distance between the carbon atoms, and thus their binding energy," added Dr. Andreas Baumgartner, who supervised the experiment.

### Altered electronic states

The researchers first calibrated the stretching of the graphene using optical methods. They then used electrical transport measurements to study how the deformation of the graphene changes the electronic energies. The measurements need to be performed at minus 269°C for the energy changes to become visible.

"The distance between the atomic nuclei directly influences the properties of the electronic states in graphene," said Baumgartner, summarizing the results. "With uniform stretching, only the electron velocity and energy can change. The energy change is essentially the 'scalar potential' predicted by theory, which we have now been able to demonstrate experimentally."

These results could lead, for example, to the development of new sensors or new types of transistors. In addition, graphene serves as a model system for other two-dimensional materials that have become an important research topic worldwide in recent years.

---

### Story Source:

Materials provided by **Swiss Nanoscience Institute, University of Basel**. *Note: Content may be edited for style and length.*

---

### Journal Reference:

1. Lujun Wang, Andreas Baumgartner, Péter Makk, Simon Zihlmann, Blesson Sam Varghese, David I. Indolese, Kenji Watanabe, Takashi Taniguchi, Christian Schönenberger. **Global strain-induced scalar potential in graphene devices**. *Communications Physics*, 2021; 4 (1) DOI: 10.1038/s42005-021-00651-y

---

### Cite This Page:

|     |     |         |
|-----|-----|---------|
| MLA | APA | Chicago |
|-----|-----|---------|

Swiss Nanoscience Institute, University of Basel. "Stretching changes the electronic properties of graphene." ScienceDaily. ScienceDaily, 29 June 2021.

<[www.sciencedaily.com/releases/2021/06/210629120709.htm](http://www.sciencedaily.com/releases/2021/06/210629120709.htm)>.

---

### RELATED STORIES

#### A Twist Connecting Magnetism and Electronic-Band Topology

Apr. 3, 2020 — Materials that combine topological electronic properties and quantum magnetism are of high current interest, for the quantum many-body physics that can unfold in them and for possible applications in ...

#### Adding a Carbon Atom Transforms 2D Semiconducting Material

May 24, 2019 — A technique that introduces carbon-hydrogen molecules into a single atomic layer of the semiconducting material tungsten disulfide dramatically changes the electronic properties of the material, ...

#### Chemical Route Towards Electronic Devices in Graphene

July 25, 2017 — Essential electronic components, such as diodes and tunnel barriers, can be incorporated in single graphene wires (nanoribbons) with atomic precision. The goal is to create graphene-based elec-

tronic ...

### **Built from the Bottom Up, Nanoribbons Pave the Way to 'on-Off' States for Graphene**

Mar. 30, 2017 — A new way to grow narrow ribbons of graphene, a lightweight and strong structure of single-atom-thick carbon atoms linked into hexagons, may address a shortcoming that has prevented the material from ...