

Thursday, May 25, 2023



Login



- HOME PAGE
- BIOLOGY
- CHEMISTRY AND PHYSICS
- MEDICINE ▾
- SPACE
- TECHNOLOGY
- CONTACT US


Home > SCIENCE NEWS > Cancer

New production process for therapeutic nanovesicles

May 24, 2023 in Cancer

0

- Share on Facebook
- Share on Twitter
- in
-
-
-




Vitamin D alters developing neurons in the brain's dopamine circuit

01

69 SHARES

Particles known as extracellular vesicles play a vital role in communication between cells and in many cell functions. Released by cells into their environment, these “membrane particles” consist of a cellular membrane carrying a cargo of specific signaling molecules, proteins, nucleic acids and lipids. Unfortunately, only tiny quantities of the vesicles are formed spontaneously by cells.



Credit: C. Alter, Department of Pharmaceutical Sciences, University of Basel

- 02 Where do our limbs come from? 65 SHARES
- 03 Null results research now published by major behavioral medicine journal 771 SHARES
- 04 Harvard professor and entrepreneur Tim Springer donates \$210 million to the Institute for Protein Innovation 65 SHARES
- 05 Flavonol-rich foods like apples and blackberries can lower chances of developing frailty 67 SHARES

Particles known as extracellular vesicles play a vital role in communication between cells and in many cell functions. Released by cells into their environment, these “membrane particles” consist of a cellular membrane carrying a cargo of specific signaling molecules, proteins, nucleic acids and lipids. Unfortunately, only tiny quantities of the vesicles are formed spontaneously by cells.

06

AI tool outperforms human emergency call handlers in identifying stroke, new study shows

70 SHARES

Extracellular vesicles for medical applications

The contents of these extracellular vesicles vary depending on the origin and condition of the cell, as do the proteins that are anchored to the vesicle surface. Researchers use these properties to develop new techniques for diagnosing cancer, for example, based on the analysis of extracellular vesicles isolated from blood samples.

Extracellular vesicles could also play a key role in the development of next-generation therapeutics. As the vesicles are of natural origin, they are biocompatible and can trigger a wide range of different reactions in the body.

Researchers therefore hope to use the particles to influence the immune system – for example, in order to destroy cancer cells. Until now, however, one major challenge has been the reproducible production of the large quantities of homogeneous vesicles needed for such studies.

A faster route to more particles

Now, a team of researchers led by Professor Jörg Huwylar from the Department of Pharmaceutical Sciences and the Swiss Nanoscience

ADVERTISEMENT

Institute (SNI) of the University of Basel has developed a highly efficient preparation method for extracellular vesicles that delivers up to 100 times more particles per cell and hour than conventional methods. They describe the new method in the journal *Communications Biology* (Nature Portfolio).

“We start the preparation process by cultivating cancer cells, in which we induce cell death by adding chemical stressors,” explains Claudio Alter, first author of the study and a doctoral student at the SNI PhD School. “The cells then form vesicles, which detach from the parent cell after a few hours.”

With a diameter of 1 to 3 micrometers, these giant plasma membrane vesicles are far too big for therapeutic applications. In the newly developed process, they are therefore pressed through a filter membrane multiple times in order to reduce their size. “After multiple filter passes, we obtain a homogeneous solution of nano plasma membrane vesicles (nPMV) with a diameter of 120 nanometers – precisely what we need for subsequent applications,” explains Alter.

Different origin, different applications

The team of researchers then characterized these nPMVs and compared their size, homogeneity, and protein and lipid cargo with those of exosomes – currently the most commonly used extracellular vesicles. They also investigated how well the nPMVs interact with other cells. In these analyses, the nano plasma membrane vesicles showed similar properties to exosomes.

“Their specific cargo and the presence of membrane-bound markers derived from the parent cell line offers the possibility to use nPMVs for therapeutic purposes,” says Jörg Huwylar. “At present, we’re primarily thinking of a stimulation of the immune system – for example, in vaccination or in immunotherapy treatments for cancer.”

Journal

Communications Biology

DOI

10.1038/s42003-023-04859-2 [↗](#)

Method of Research

Experimental study

Subject of Research

Cells

Article Title

High efficiency preparation of monodisperse plasma membrane derived extracellular vesicles for therapeutic applications

Tags: [nanovesicles](#) [process](#) [production](#) [therapeutic](#)

 **Share** 25

 **Tweet** 16

 **Share** 4

 **Share**

 **Send**

 **Share**



[About us](#)

[Latest NEWS](#)

[Subscribe to Blog via](#)