


**Product of the week**

3D Raman microscopes with unequalled speed, sensitivity and resolution

New method for determining exchange energy in 2D materials

Detective work yielded a simple solution

10-Jul-2024



The two-dimensional semiconductor material molybdenum disulfide is filled with electrons (red spheres). The electron-electron interaction causes the spins of all electrons (red arrows) to align in the same direction. The exchange energy required to flip a single electron spin in the ferromagnetic state can be determined by the separation between two specific spectral lines.

N. Leisgang, Harvard University, formerly
Department of Physics, University of
Basel/Scixel

Researchers from the University of Basel have looked at how the ferromagnetic properties of electrons in the two-dimensional semiconductor molybdenum disulfide can be better understood. They revealed a surprisingly simple way of measuring the energy needed to flip an electron spin.

Ferromagnetism is an important physical phenomenon that plays a key role in many technologies. It is well-known that metals such as iron, cobalt and nickel are magnetic at room temperature because their electron spins are aligned in parallel — and it is only at very high temperatures that these materials lose their magnetic properties.

Researchers led by Professor Richard Warburton of the Department of Physics and the Swiss Nanoscience Institute of the University of Basel have shown that molybdenum disulfide also exhibits ferromagnetic properties under certain conditions. When subjected to low temperatures and an external magnetic field, the electron spins in this material all point in the same direction.

In their latest study, published in the journal *Physical Review Letters*, the researchers determined how much energy it takes to flip an individual electron spin within this ferromagnetic state. This “exchange energy” is significant because it describes the stability of the ferromagnetism.

Detective work yielded a simple solution

“We excited molybdenum disulfide using a laser and analyzed the spectral lines it emitted,” explains Dr. Nadine Leisgang, main author of the study. Given that each spectral line corresponds to a specific wavelength and energy, the researchers were able to determine the exchange energy by measuring the separation between specific spectral lines. They found that in molybdenum disulfide, this energy is only about 10 times smaller than in iron — indicating that the material’s ferromagnetism is highly stable.

“Although the solution seems simple, it took considerable detective work to allocate the spectral lines correctly,” says Warburton.

Two-dimensional materials

2D materials play a key role in materials research thanks to their special physical properties, which are the result of quantum mechanical effects. They can also be stacked to form “van der Waals heterostructures.”


In the example seen in this study, the molybdenum disulfide layer is surrounded by hexagonal boron nitride and graphene. These layers are held together by weak van der Waals bonds and are of interest in the fields of electronics and optoelectronics thanks to their unique properties. Understanding their

electrical and optical properties is vital in order to apply them to future technologies.

ⓘ Original publication

Nadine Leisgang, Dmitry Miserev, Hinrich Mattiat, Lukas Schneider, Lukas Sponfeldner, Kenji Watanabe, Takashi Taniguchi, Martino Poggio, Richard J. Warburton; "Exchange Energy of the Ferromagnetic Electronic Ground State in a Monolayer Semiconductor"; Physical Review Letters, Volume 133, 2024-7-8 [↗](#)

<https://www.chemeurope.com/en/news/1183924/new-method-for-determining-exchange-energy-in-2d-materials.html>



A highly light-absorbent and tunable material

New approach to developing optoelectronic devices

READ NEWS >

ⓘ ORIGINAL PUBLICATION

Nadine Leisgang, Dmitry Miserev, Hinrich Mattiat, Lukas Schneider, Lukas [↗](#)

Sponfeldner, Kenji Watanabe, Takashi Taniguchi, Martino Poggio, Richard J. Warburton; "Exchange Energy of the Ferromagnetic Electronic Ground State in a Monolayer Semiconductor"; Physical Review Letters, Volume 133, 2024-7-8



TOPICS

molybdenum disulfide

2D materials

ferromagnetism

electron spin